


October 10, 2025

This list depicts the previously USA Softball certified bats that failed a USA Softall sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. It also depicts any bats that had marks prematurely put on the bat without approval of USA Softball. This list is intended for informational purposes only.

| Manufacturer          | Bat Name           |
|-----------------------|--------------------|
| Bass                  | Quake              |
| Combat                | VIRSP3 Lady Virus  |
|                       |                    |
| Data Driven Athletics | 314159 PI          |
|                       |                    |
| Easton                | SCN1               |
|                       | IMAGE COMMING SOON |
| Easton                | SCN11BH            |
| Easton                | SCN1B              |
| Easton                | SCN2B              |



| Manufacturer | Bat Name           |
|--------------|--------------------|
| Easton       | SCN3               |
|              | SHNERGY)           |
| Easton       | SCN4B              |
|              | ETURIANUE)         |
| Easton       | SCN5               |
|              | IMAGE COMMING SOON |
| Easton       | SCN5B              |
|              | STANCE STANCE      |
| Easton       | SCN6B              |
|              |                    |
| Easton       | SCN7               |
|              |                    |
| Easton       | SCN7B              |
|              | SUEALIH            |
| Easton       | SCN8               |
|              | ENRERE             |



| Manufacturer | Bat Name           |
|--------------|--------------------|
| Easton       | SCN8B              |
| Easton       | SCN9               |
| Easton       | SCX14  EYNERGY)    |
| Easton       | SCX14B<br>SYNERGY) |
| Easton       | SCX2 Synergy       |
| Easton       | SCX22 Synergy 2    |
| Easton       | SCX24B             |
| Easton       | SCX3               |



Manufacturer Bat Name

Louisville Slugger FP136



Louisville Slugger FP1368



Louisville Slugger FP1369



Louisville Slugger FPC305 Catalyst (-8)



Louisville Slugger SB304



Louisville Slugger SB34 Genesis



Louisville Slugger SB404



Louisville Slugger SB73V TPS Voltage






| Manufacturer | Bat Name                 |
|--------------|--------------------------|
| Miken        | MSF Freak                |
| Miken        | MSU Ultra                |
|              | WETTERS)                 |
| Miken        | MSU2 Ultra II            |
| Miken        | MSUM Ultra Maxload       |
| Nokona       | Tomahawk                 |
| Onyx         | Battle Ground - ESBCA242 |
| Onyx         | First Born - ES2P21      |
| Pure         | SkyBolt - MFE6           |
|              | SKYBBLT                  |



| Manufacturer | Bat Name                    |
|--------------|-----------------------------|
| Schutt       | Red/Silver Schutt Bat       |
|              |                             |
| Suncoast     | SBFPB-10                    |
|              |                             |
| Worth        | EST9                        |
|              | THE COUPLE                  |
| Worth        | QESTFP                      |
|              | GUEL!                       |
| Worth        | SBWK(Wicked)                |
|              | WICKED))                    |
| Worth        | SBWKA                       |
|              | WICKED)                     |
| Worth        | WWSC Wicked Comp. (SP Only) |
|              |                             |
| Worth        | WWSCA                       |
|              | LELL WICKED                 |





For a complete list of approved bats go to the certified equipment section of www.usasoftball.com Last Updated: January 2, 2024



October 10, 2025

This list depicts the previously USA Softball certified bats that failed a USA Softball sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. It also depicts any bats that had marks prematurely put on the bat without approval of USA Softball. This list is intended for informational purposes only.

# Manufacturer **Bat Name** Bass Quake Combat VIRSP3 Lady Virus Data Driven Athletics 314159 PI Easton SCN1 IMAGE COMMING SOON Easton SCN11BH Easton SCN1B SHNERCH Easton SCN2B EHNERGH



Manufacturer **Bat Name** Easton SCN3 Easton SCN4B Easton SCN5 IMAGE COMMING SOON Easton SCN5B ESTITE AND WE Easton SCN6B Easton SCN7 EEETHER Easton SCN7B STEALTH Easton SCN8



Manufacturer

**Bat Name** 

Easton

SCN8B



Easton SCN9



Easton SCX14



Easton SCX14B



Easton SCX24B



Easton SCX3



Louisville Slugger FP136



Louisville Slugger FP1368





Manufacturer

**Bat Name** 

Louisville Slugger

FP1369



Louisville Slugger

FPC305 Catalyst (-8)



Louisville Slugger

SB73V TPS Voltage



Nokona

Tomahawk



Onyx

Battle Ground - ESBCA242



Onyx

First Born - ES2P21



Pure

SkyBolt - MFE6



Schutt

Red/Silver Schutt Bat





Manufacturer

**Bat Name** 

Suncoast

SBFPB-10



For a complete list of approved bats go to the certified equipment section of www.usasoftball.com Last Updated: January 2, 2024

# st with Certification Marks USA Softball Non-Approved Bat Li





### **USA Softball Bat Testing & Certification Program**

\*\*\* Information on non-linear bats with unique barrel compression thresholds can be seen on the Non-Linear Bat Compression Thresholds page.

<u>CERTIFIED/APPROVED</u>: The official bat for USA Softball Championship Play must meet all the USA Softball specifications and the requirements of Rule 3, Section 1, and:

1. The official bat, made up of the knob, handle, grip, taper, barrel and end cap shall be free of burs, dents cracks, sharp edges, rattles and show no signs of excessive wear. The official bat may be marked OFFICIAL SOFTBALL by the manufacturer, and shall be no more than 34 inches long nor exceed 38 ounces in weight. The official bat shall not be more than 2.250 inches in diameter at its largest part, including any tolerance for expansion. The official bat must bear either the 2000 Certification Mark, 2004 Certification Mark, or 2013 Certification Mark (Slow Pitch, Men's Adult Fast Pitch, Junior Olympic Boy's Fast Pitch and Men's Modified only), as shown below and must not be listed on the USA Softball Non-Approved Bat List with 2000 or 2004 Certification Mark.



**NOTE:** USA Softball has begun transitioning to the new USA Softball Certification Marks for the 2020 calendar year. On behalf of equipment manufacturers, the USA Softball Equipment Testing and Certification Committee requested that the new certification marks be approved for the 2019 calendar year and the USA Softball Board of Directors approved the new marks (seen here) for 2019 USA Softball Championship Play. The Official Rules of Softball, Rule 3, Sections 1 and 3 will be updated for 2020 to identify the new Certification Marks for Championship Play.





All Games

Adult Fast Pitch/All Slow Pitch

### AND

2. must be included on a list of approved bat models published by USA Softball

OR

must, in the sole opinion and discretion of the umpire, have been manufactured prior to 2000 and if tested, would comply with USA Softball Bat Performance Standard. This includes wooden bats.

Exception: Senior Softball bats may be used in Senior Championship Play only.

All bats in USA Softball Championship Play, except Seniors, must pass USA Softball's Bat Performance Standard. All bats having the 2000, 2004 or 2013 (Slow Pitch, Men's Adult Fast Pitch, Junior Olympic

Boy's Fast Pitch and Men's Modified Pitch ONLY) Certification Mark and not listed on the list of Non-Approved bats with Certification marks will be allowed in USA Softball Championship Play. Bats with the 2013 Certification Mark will be allowed in Slow Pitch National Championship Play Only. For your convenience, USA Softball's website has a listing of all approved bats and bats that have USA Softball Certification Marks and are no longer approved.

### APPROVED BATS: 2000, 2004 and 2013

(Current Listing, no changes as of: 9/12/2025)



For a list of bats that have been tested and found to comply with the USA Softball bat performance standards, and therefore are authorized to bear the 2000, 2004 or 2013 certification mark and/or are authorized for use in USA Softball Championship Play please click on the manufacturer below. Manufacturers continue to submit additional bat models for testing, and USA Softball will update this list as test results become available.

Display All





### NON-APPROVED BATS: 2004 and Beyond.

Click here for USA Softball's 1 Page Non Approved Bats with Certification Marks (2000 and 2004)



(current listing, no changes as of 1/2/2024)

Click here for USA Softball's Non Approved Bats with Certification Marks (2000 and 2004)

(current listing, updated 1/2/2024)

Click here for USA Softball's Non Approved Bats with 2004 Certification Marks (current listing, no changes as of 1/2/2024)

USA Softball no longer displays every bat made by bat manufacturers that do not comply with current USA Softball bat standards. If you want to know what bats are approved for use in USA Softball Championship Play, follow one of the steps below.

- check the approved list located in the drop down boxes above and search by the specific manufacturer or select all
- check for either the 2000, 2004 or 2013 (Slow Pitch Only) Certification Mark (all three depicted above) and then be sure the bat is not listed on the PDF's above as a Non-Approved Bats with Certification Marks by USA Softball

Please be sure to read the specific USA Softball rules surrounding bats (a portion of which is located above) for a comprehensive review. Please remember that all bats that do not bear a USA Softball certification mark remain non approved unless they were made prior to 2000 and in the sole discretion of the umpire would pass USA Softball's certification test if tested. Local USA Softball leagues and tournaments not conducted as part of USA Softball Championship Play may alter USA Softball's playing rules as they see fit.